



## DECLARATION OF PERFORMANCE

According Regulation CPR EU N°305/2011

No. 1042406801198

- Unique identification code of the product-type:  
**1042406801198 – Safety BASE TR MINERAL EBP 4mm**
- Intended use/uses:  
**Bituminous Membrane for Waterproofing  
1m x 10m x 4mm membrane, with polyester carrier, APP modified bitumen. Mineral granules on top surface and plastic film finishing on lower surface. Torch on application. Application in multilayer systems as finishing layer.**
- Manufacturer:  
**TRP OOO TEGOLA ROOFING PRODUCTS  
142641, Moscow Oblast',  
Orekhovo Zuyevo Region, Davydovo, ul. Zavodskaya, corp.4  
Russian Federation**
- Authorised representative:  
**Not Applicable**
- System/s of AVCP:  
**System 2+**
- a) Harmonized standard:  
**EN 13707:2013**  
Notified Body/ies:  
**SGS, Notified Body N°1381, Certification N°1381-CPR-421**
- Declared Performances:

Harmonized Technical Specification EN 13707:2013				
Essential Characteristics	Unit	Performance	Tolerance	Standard
External Fire Resistance	-	F roof	-	EN 13501-5
Reaction to Fire	-	F	-	EN 13501-1
Watertightness (Method A, 60kPa/24h)	-	Pass	-	EN 1928
Tensile Strength Length/Width	N/50mm	600/400	+/-20%	EN 12311-1
Resistance to Static Loading	Kg	>10	MLV	EN 12730
Resistance to Impact	mm	>700	MLV	EN 12691
Resistance to Tearing (Nail Method)	N	>120	MLV	EN 12310-1
Shear Resistance of Joints	N/50mm	500/300	+/-20%	EN 12317-1
Durability: Flow Resistance at Elevated Temperatures	°C	>120	MLV	EN 1296 EN 1110
Durability: Artificial Aging Behavior	-	Pass	-	EN 1297
Flexibility at Low Temperatures	°C	<0	MLV	EN 1109
Dangerous Substances	This product does not contain asbestos or tar.			

- Appropriate Technical Documentation and/or Specific Technical Documentation:  
**Not Applicable**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Eng. Filippo Derighet  
Quality Engineer



Davydovo, 19/12/2018  
Rev. 00, 19/12/2018