



DECLARATION OF PERFORMANCE

According Regulation CPR EU N°305/2011

No. 1036401801198

1. Unique identification code of the product-type:
1036401801198 – Safety BASE MINERAL XBP 4mm
2. Intended use/uses:
**Bituminous Membrane for Waterproofing
1m x 8m x 4mm membrane, with fiberglass carrier, APP modified bitumen. Mineral granules on top surface and plastic film finishing on lower surface. Torch on application. Application in multilayer systems as finishing layer.**
3. Manufacturer:
**TRP OOO TEGOLA ROOFING PRODUCTS
142641, Moscow Oblast',
Orekhovo Zuyevo Region, Davydovo, ul. Zavodskaya, corp.4
Russian Federation**
4. Authorised representative:
Not Applicable
5. System/s of AVCP:
System 2+
6. a) Harmonized standard:
EN 13707:2013
Notified Body/ies:
SGS, Notified Body N°1381, Certification N°1381-CPR-421
7. Declared Performances:


| Harmonized Technical Specification EN 13707:2013 | | | | |
|--|--|-------------|-----------|--------------------|
| Essential Characteristics | Unit | Performance | Tolerance | Standard |
| External Fire Resistance | - | F roof | - | EN 13501-5 |
| Reaction to Fire | - | F | - | EN 13501-1 |
| Watertightness (Method A, 60kPa/24h) | - | Pass | - | EN 1928 |
| Tensile Strength Length/Width | N/50mm | 400/200 | +/-20% | EN 12311-1 |
| Resistance to Static Loading | Kg | >10 | MLV | EN 12730 |
| Resistance to Impact | mm | >700 | MLV | EN 12691 |
| Resistance to Tearing (Nail Method) | N | >80 | MLV | EN 12310-1 |
| Shear Resistance of Joints | N/50mm | 350/250 | +/-20% | EN 12317-1 |
| Durability: Flow Resistance at Elevated Temperatures | °C | >110 | MLV | EN 1296 EN 1110 |
| Durability: Artificial Aging Behavior | - | Pass | - | EN 1297 |
| Flexibility at Low Temperatures | °C | <-5 | MLV | EN 1109 |
| Dangerous Substances | This product does not contain asbestos or tar. | | | |

8. Appropriate Technical Documentation and/or Specific Technical Documentation:
Not Applicable

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Eng. Filippo Derighet
Quality Engineer



Davydovo, 19/12/2018
Rev. 00, 19/12/2018